

UK PLATFORMS

THE ONLY WAY IS UP



0845 450 1661

www.ukplatforms.co.uk



Welcome

Welcome to your new powered access rental company, the combined UK Platforms and Access Rentals, now offering you:

- More depots
- More high quality experienced staff
- More machines

UK Platforms is a leading national rental company, backed by Haulotte Group, with the ability to supply and support the full range of the latest access equipment to meet our customers' needs for service, stability, safety and added value.



Safety

UK Platforms provides you with access machines that enable our customers to safely work at height. All our equipment meets current legislation including LOLER, CE and PUWER to give you complete peace of mind and the highest standards of safety.

Training

UK Platforms offers a range of training courses that allow you to conform to all relevant legislation.

The training courses are IPAF approved (International Powered Access Federation) and provide the operator with a PAL (Powered Access Licence) card valid for five years.

For more information contact your local depot.



Vertical Masts

From 6m - 12m the non polluting electric platform for indoor use

	Star 6	Star 10	Star 12
Working Height	6m 19ft 8in	10m 32ft 10in	12m 39ft 4in
Platform Height	4m 13ft 1in	8m 26ft 3in	10m 33ft
Horizontal Reach	N/A	3.1m 10ft 2in	2.5m 8ft 2in
Stowed Length	1.5m 4ft 11in	2.65m 8ft 8in	2.35m 7ft 7in
Width	0.76m 2ft 6in	0.99m 3ft 3in	1.25m 4ft 1in
Stowed Height	1.65m 5ft 4in	1.99m 6ft 6in	2.4m 7ft 9in
Platform Size	0.8 x 0.68m 2ft 7in x 2ft 2in	0.9 x 0.7m 2ft 11in x 2ft 3in	0.99 x 0.7m 3ft 2in x 2ft 3in
Capacity	180kg	200kg	210kg
Weight	800kg	2760kg	2650kg
Power	Electric	Electric	Electric

Electric/Bi - Energy Articulated booms

From 12 to 16m ideal for
indoor and outdoor use



	HA 12CJ+	HR 12	HA 12IP	HA 15IP	X-Boom 45XA	HA 16PE
Working Height	11.7m 38ft 4in	12.2m 40ft	12m 39ft 4in	15m 49ft 2in	15.6m 51ft	16m 52ft
Platform Height	9.7m 31ft 9in	10.2m 33ft 5in	10m 32ft 8in	13m 42ft 7in	13.7m 45ft	14m 46ft
Max Outreach	7.22m 23ft 8in	6.1m 20ft 1in	6.7m 22ft	8.5m 27ft 10in	6.4m - 8.2m 21ft - 27ft	9.1m 30ft
Up & Over Height	4.74m 15ft 6in	4.1m 13ft 5in	5.25m 17ft x 3in	6.6m 21ft 6in	6.3m 20ft 9in	6.5m 21ft 3in
Width	1.2m 3ft 11in	1.5m 4ft 11in	1.34m 4ft 4in	1.5m 4ft 11in	1.68m - 3.4m 5ft 6in-11ft 3.5in	1.83m 6ft
Stowed Height	1.99m 6ft 6in	1.9m 6ft 3in	1.99m 6ft 5in	2m 6ft 6in	2.06m 6ft 9in	2.2m 7ft 2in
Stowed Length	4.2m 13ft 9in	4.1m 13ft 5in	5.43m 17ft 8in	6.6m 21ft 7in	5.56m 18ft 3in	6.5m 21ft 4in
Capacity	230kg	200kg	230kg	230kg	227kg	250kg
Weight	7040kg	2950kg	5910kg	7300kg	2193kg	7885kg
Power	Electric	Bi-Energy	Electric	Electric	Diesel	Bi-Energy



Diesel Articulated Booms

From 16 -20m the all terrain
work platform

	HA 15X	HA 16PX	HA 18PX	HA 20PX
Working Height	15.45m 50ft 8in	16m 52ft	17.4m 57ft	20.65m 68ft
Platform Height	13.45m 44ft 2in	14m 46ft	15.4m 50ft 7in	18.65m 61ft
Max Outreach	8.45m 27ft 9in	9.1m 30ft	10.55m 34ft 7in	13.5m 44ft 4in
Up & Over Height	6.75m 22ft 1in	6.6m 21ft 6in	6.6m 21ft 6in	6.8m 22ft 4in
Width	2.25m 7ft 5in	2.3m 7ft 6in	2.3m 7ft 6in	2.38m 7ft 10in
Stowed Height	2.08m 6ft 10in	2.2m 7ft 3in	2.2m 7ft 3in	2.67m 8ft 9in
Stowed Length	6.7m 22ft	6.95m 21ft 10in	7.5m 24ft 6in	9m 29ft 6in
Turntable	350°	360°	360°	360°
Capacity	230kg	230kg	250kg	250kg
Weight	6500kg	7100kg	8050kg	12260kg
Power	Diesel	Diesel	Diesel	Diesel

Diesel Articulated Booms

From 21 - 41m the all terrain
work platform



	HR 21	HA 26PX	HA 32PX	JLG 1250 AJ	HA 41PX
Working Height	20.7m 68ft	26m 85ft 3in	31.8m 104ft 12in	40m 131ft	41m 134ft 6in
Platform Height	18.7m 61ft 4in	24m 79ft	29.8m 97ft 9in	38.1m 125ft	39m 128ft
Max Outreach	12.6m 41ft 4in	14.6m 47ft 10in	21.3m 69ft 11in	19.25m 63ft	19.8m 63ft
Up & Over Height	7m 23ft	6.8m 22ft 4in	11.35m 37ft x 3in	18.44m 60ft x 6in	16.5m 54ft 2in
Width Axels Extended	No extending axles	No extending axles	3.3m 10ft 11in	3.81m 12ft 6in	3.33m 10ft 11in
Width Axels Retracted	2.25m 7ft 5in	2.38m 7ft 10in	2.53m 8ft 3in	2.49m 8ft 2in	2.53m 8ft 3in
Stowed Height	2.15m 7ft	2.67m 8ft 9in	2.7m 8ft 10in	3.06m 10ft	3.05m 10ft
Stowed Length	5m 16ft 5in	11.9m 39ft	11.2m 36ft 9in	11.46m 37ft 6in	12.5m 41ft
Turntable	360°	360°	360°	360°	360°
Capacity	225kg	230kg	250kg	230-450kg	230kg
Weight	6350kg	14150kg	21100kg	19958kg	23100kg
Power	Diesel	Diesel	Diesel	Diesel	Diesel



Diesel Telescopic Booms

From 16 - 25m the all terrain
work platform

	H 16 TPX	H 21 TX	H 23 TPX	H 25 TPX
Working Height	15.45m 51ft	20.86m 68ft	22.6m 74ft	25.2m 81ft 5in
Platform Height	13.45m 44ft	18.86m 62ft	20.6m 67ft 7in	23.2m 75ft 5in
Max Outreach	12.3m 40ft 4in	17m 55ft 9in	19.6m 64ft 2in	17.4m 57ft 4in
Stowed Length	8.44m 27ft 7in	9.1m 29ft 10in	10.6m 34ft 9in	13.1m 42ft 2in
Width	2.3m 7ft 5in	2.46m 8ft	2.48m 8ft 1in	2.48m 8ft 1in
Stowed Height	2.22m 7ft 3in	2.86m 9ft 4in	3m 9ft 10in	3m 10ft 2in
Platform Size	1.8 x 0.8m 5ft 11in x 2ft 8in	1.8 x 0.8m 5ft 11in x 2ft 8in	1.8 x 0.8m 5ft 11in x 2ft 8in	1.8 x 0.8m 5ft 11in x 2ft 8in
Turntable Rot.	360°	360°	360°	360°
Capacity	230kg	230kg	230kg	230kg
Weight	7070kg	13100kg	13640kg	13750kg
Power	Diesel	Diesel	Diesel	Diesel

Diesel Telescopic Booms

From 28 - 43m the all terrain
work platform



	JLG 860	H28TJ+	Genie S85	H43TPX	JLG 1350
Working Height	28m 92ft	28.2m 92ft 6in	27.9m 91ft	43m 141ft	43m 141ft
Platform Height	26.1m 86ft	26.2m 86ft	25.9m 85ft	41m 135ft	41.15m 135ft
Max Outreach	22.86m 75ft	22.6m 74ft 2in	23.6m 77ft 5in	20m 65ft 7in	24.38m 80ft
Width Axles Extended	No extending axles	No extending axles	3.07m 10ft 1in	3.33m 10ft 11in	3.8m 12ft 6in
Width Axles Retracted	2.49m 8ft 3in	2.49m 8ft 2in	2.44m 8ft	2.53m 8ft 23in	2.49m 8ft 2in
Stowed Height	3.06m 10ft	2.95m 9ft 8in	2.8m 9ft 2in	3.05m 10ft	3.05m 10ft
Stowed Length	12.19m 40ft	12.35m 40ft 6in	12.37m 40ft 7in	14.5m 47ft 6in	11.86m 38ft 11in
Turntable	360°	360°	360°	360°	360°
Capacity	230kg	250-350kg	227kg	230-450kg	230-450kg
Weight	16490kg	17300kg	16226kg	20580kg	20300kg
Power	Diesel	Diesel	Diesel	Diesel	Diesel



Telehandlers

14 and 17m for material lifting

	HTL 4014	HTL 4017
Placing Height	14.1m 46ft 3in	17.2m 56ft 6in
Max Lift Capacity	4000kg	4000kg
Reach at Max Lift Height	1.5m 4ft 11in	2.4m 7ft 10in
Lift at Full Height	3000kg	2500kg
Maximum Forward Reach	9.8m 32ft 2in	12.85m 42ft 2in
Length	6.47m 21ft 3in	6.76m 22ft 2in
Gradeability	45%	45%
Weight with forks	11400kg	12100kg

Specialist

Providing specialist equipment for a range of industrial and construction uses



	Scissor N-165EL12	Scissor B-195DL25	Scissor M-250DL27	Scissor G-300DL30S		Articulated RQG12	Articulated RQG15
Working Height	18.5m 60ft 8in	21.5m 70ft 6in	27m 88ft 7in	33.5m 109ft 11in	Working Height	12.2m 40ft	15m 49ft 3in
Platform Height	16.5m 54ft 2in	19.5m 63ft 12in	25m 82ft	31.5m 103ft 4in	Platform Height	10.2m 33ft 6in	13m 42ft 8in
Stowed Length	3.74m 12ft 3in	4.74m 15ft 7in	6.57m 21ft 7in	6.97m 22ft 10in	Horizontal reach	6.8m 22ft 4in	8.7m 28ft 7in
Width	1.2m 3ft 11in	3.08m 10ft 1in	2.65m 8ft 8in	2.98m 9ft 9in	Stowed Length	3.8m 12ft 6in	4.7m 15ft 5in
Stowed Height	3.4m 11ft 2in	3.65m 11ft 12in	3.89m 12ft 9in	3.63m 11ft 11in	Width	0.85m 2ft 10in	0.95m 3ft 1in
Platform (retracted)	3.38 x 1.16m 11ft 1in x 3ft 10in	4.37 x 2.3m 14ft 4in x 7ft 7in	6.15 x 2.5m 20ft 2in x 8ft 2in	6.64 x 2.8m 21ft 9in x 9ft 2in	Stowed Height	1.98m 6ft 6in	1.98m 6ft 6in
Platform (extended)	4.88 x 1.16m 16ft x 3ft 10in	6.17 x 2.3m 20ft 3in x 7ft 7in	8.25 x 2.5m 27ft 1in x 8ft 2in	9.64 x 2.8m 31ft 8in x 9ft 2in	Cape	200kg	200kg
Capacity	500kg	500kg	1000kg	800kg	Capacity	(2 Man)	(2 Man)
Weight	7985kg	11950kg	21910kg	30210kg	Weight	1500kg	1900kg
Power	Electric	Diesel	Diesel	Diesel	Power	Bi-Fuel	Bi-Fuel



UK PLATFORMS

THE ONLY WAY IS UP

Call 0845 450 1661

Visit www.ukplatforms.co.uk



UK PLATFORMS

THE ONLY WAY IS UP

Barnsley

T: 01226 786677

F: 01226 786688

Reading

T: 0118 9301790

F: 0118 9301791

Brentwood

T: 01277 812405

F: 01277 812613

Stockton

T: 01642 615996

F: 01642 613625

Crawley

T: 01293 614480

F: 01293 614478

Tebay

T: 01539 626240

F: 01539 626249

Manchester

T: 0161 8777437

F: 0161 8778217

Telford

T: 01952 601052

F: 01952 601053

Norwich

T: 01953 859050

F: 01953 859051

Wellingborough

T: 01933 445630

F: 01933 445631



For more information visit

www.ukplatforms.co.uk

Haulotte 
G R O U P

Please note that all sizes are approximate and correct at the time of going to press.